

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
14 August 2003 (14.08.2003)

PCT

(10) International Publication Number  
**WO 03/066120 A1**

- (51) International Patent Classification<sup>7</sup>: **A61L 27/38**, 27/36 (74) Agent: **LITZINGER, Jerrold, J.**; Sentron Medical, Inc., 4445 Lake Forest Drive, Suite 600, Cincinnati, OH 45242 (US).
- (21) International Application Number: **PCT/US02/03123** (81) Designated States (*national*): AU, CA, JP.
- (22) International Filing Date: 4 February 2002 (04.02.2002) (84) Designated States (*regional*): European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR).
- (25) Filing Language: English
- (26) Publication Language: English
- Published:  
— with international search report
- (71) Applicant and  
(72) Inventor: **FERREE, Bret, A.** [US/US]; 1238 Cliff Laine Drive, Cincinnati, OH 45208 (US).
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*



**WO 03/066120 A1**

(54) Title: TREATING DEGENERATIVE DISC DISEASE THROUGH TRANSPLANTATION OF ALLOGRAFT DISC

(57) Abstract: The intervertebral disc and a portion of adjacent vertebrae obtained from recently deceased human or animal donors are used to restore disc function and eliminate pain in patients with disc disease. Cells harvested and cultured from the nucleus pulposus and/or the annulus fibrosis of a normal disc are added to the donor disc. Additional therapeutic substances like culture medium, growth factors, differentiation factors, hydrogels polymers, antibiotics, anti-inflammatory medications, or immunosuppressive medications may also be added to the transplanted disc unit.

## TREATING DEGENERATIVE DISC DISEASE THROUGH TRANSPLANTATION OF ALLOGRAFT DISC

5

Field of the Invention

This invention relates generally to the treatment of diseased or traumatized intervertebral discs, and more particularly, to the use of engineered disc tissues and endplate materials in conjunction with such treatment.

10

Background of the Invention

Intervertebral discs provide mobility and a cushion between the vertebrae. At the center of each disc is the nucleus pulposus which, in the adult human, is composed of cells and an insoluble extracellular matrix which is produced by the nucleus itself. The extracellular matrix is composed of collagen, proteoglycans, water, and noncollagenous proteins.

15

The cells of the nucleus pulposus have chondrocyte-like features. Blood vessels do not course into the nucleus pulposus. Rather, the cells of the nucleus pulposus of the adult human obtain nutrients and eliminate waste by diffusion through blood vessels in the endplates of the vertebrae adjacent to the disc.

20

The nucleus pulposus is surrounded by the annulus fibrosis, which is composed of cells (fibrocyte-like and chondrocyte-like), collagen fibers, and non-fibrillar extracellular matrix. The components of the annulus are arranged in 15-25 lamellae around the nucleus pulposus.

To date, the treatment of degenerative disc disease has relied for the most part on eliminating the defective disc or disc function. This may be accomplished by fusing the

25

vertebra on either side of the disc. In terms of replacement, most prior-art techniques use synthetic materials to replace the entire disc or a portion thereof.

Prosthetic disc devices replace nucleus pulposus and/or annulus fibrosis function. Nucleus replacing devices rely on the patient's annulus fibrosis to retain the device and perform annulus functions. Unfortunately, injuries to the annulus often accompany nucleus degeneration or trauma. In addition, the degenerated annulus fibrosis may produce pain in patients with nucleus replacement.

Devices that replace nucleus and annulus functions (total disc replacement) also exhibit certain weaknesses. Total disc replacements rely on attachment of the prosthetic disc to the vertebral endplates. Various methods of attachment have been described including the use of screws, spikes, and porous ingrowth material. The total disc/vertebral interface can loosen. The problems with prosthesis loosening and the revision surgery of the same are well known in prosthetic knee and hip surgery.

The future of treating degenerative disc disease therefore lies in treatments which preserve disc function. If disc function could be restored with biologic replacement or augmentation, the risk of premature wear out would be minimized, if not eliminated.

#### Summary of the Invention

This invention resides in a method of treating a diseased or traumatized intervertebral disc located between adjacent vertebrae. According to the method, a disc unit is harvested from a recently deceased human or animal donor. As defined herein, this donor disc unit preferably includes not only an intervertebral disc having an extracellular matrix, but also a portion of the vertebrae on either side of the disc, including the endplates.

An affected disc is surgically removing from a patient, including the vertebral endplates and a portion of the vertebra on either side of the disc, thereby creating a void to be

filled, and the donor disc unit is positioned within the surgically created void. The spine may be temporarily locally immobilized following placement of the donor disc unit into the surgically created void.

5 In the preferred embodiment, the donor disc unit is processed to kills living cells therewithin, while preserve the extracellular matrix. Nucleus pulposus and/or annulus fibrosis cells are harvested from a healthy intervertebral disc, cultured and transplanted into the donor disc unit. Precursors, or cells which differentiate into cells which provide nucleus pulposus and/or annulus fibrosis cell function may alternatively be used. The harvested cells are preferably kept viable until placed into the disc unit.

10 The method of the invention may further include the step of adding one or more therapeutic substances to the donor disc unit, the transplanted cells, or both prior to transplantation. Such therapeutic substances could include culture media, growth factors, differentiation factors, hydrogels, polymers, antibiotics, anti-inflammatory medications, immunosuppressive medications, or any useful combination thereof.

15

#### Detailed Description of the Invention

Broadly according to this invention, a donor disc unit comprising an intervertebral disc and a portion of adjacent vertebrae, is obtained from a recently deceased human or animal donor, and used to restore disc function and eliminate pain in patients with degenerative disc disease. Autograft nucleus pulposus cells and annulus fibrosis cells are  
20 harvested from one or more healthy discs of a patient, preferably the same patient suffering from the disc disease, though any appropriate alternative source may be used, including fetal tissue or human sources, preferably having a familial relationship to minimize or avoid the need for immunosuppressive substances. The harvested cells are cultured then added to

nucleus pulposus and annulus fibrosis extracellular matrix, preferably obtained from recently deceased humans or animals, and added to the donor disc unit.

The donor disc unit preferably includes a portion of vertebra on either side of the disc. Guidelines for tissue procurement including surgical technique of removal, number of hours  
5 between death of the donor and tissue procurement, and testing of the donor for infectious disease, are well described in open literature.

Following disc harvest, the tissue is processed to kill the living cells, though care is taken to preserve the extracellular matrix. Guidelines for processing the harvested disc as described are also well known to those skilled in the art. For example, such tissue may be  
10 frozen and thawed.

The disc being replaced, including the vertebral endplates and a portion of the vertebra on either side of the disc are removed from the affected patient. Surgical techniques to remove the disc and a portion of the vertebrae are well known to spine surgeons. The donor disc unit is then placed into the surgically created defect.

15 The replacement disc could be held in position with screws, plates, and/or rods attached between the donor bone and the host vertebrae. Although the plates or other rigid method of fixation may temporarily extend across the disc, such devices must ultimately removed, or not used at all, or else disc function would not be preserved. Preferably, then, synthetic or natural fibers are employed to extend across the disc space and attach to the host  
20 vertebrae. Appropriate fibers allow vertebral motion while helping to hold the grafted disc replacement in position.

If temporary local immobilization of the spine is necessary to assist bone growth from the host vertebrae to the donor vertebrae, surgically implanted pedicle screws and rods or plates may be used. The screws may be placed percutaneously to allow easy removal after the  
25 vertebrae have healed. Alternatively, bio-resorbable screws may be used. Growth of the host

vertebrae to the donor vertebrae may also be encouraged using growth factors such as bone morphogenetic proteins.

Cultured disc cells are added to the donor disc unit a few weeks or months following its transplantation. In the preferred embodiment, living disc cells are harvested from a normal disc of the patient with the degenerative disc disease. The living disc cells from the nucleus pulposus and annulus fibrosis are added to the donor nucleus and annulus respectively.

The delayed insertion of the cells would allow vascularization of the donor vertebrae prior to cell insertion. Vertebrae vascularization is important for diffusion to and from the transplanted disc cells. Alternatively, the cultured disc cells could be added to the donor disc before transplantation or at the time of transplantation. Culture media could be added to the disc with the transplanted cells.

Autologous nucleus pulposus chondrocyte-like cells may be obtained by aspiration or biopsy of healthy discs of the patient. The harvested nucleus pulposus cells are isolated and cultured using standard techniques. The harvested sterile nucleus pulposus is morselized and washed with phosphate buffered saline. The cells are released from the extracellular matrix with 0.2% clostridial collagenase (Worthington CLS II, 140u/mg) and agitated. See Klagsburn, "Methods in Enzymology, Vol. VII. The resulting suspension is filtered with a 153.mu.g nylon sieve (Tetko, Elmford, N.Y.).

The filtered solution is then centrifuged at 1800 rpm to remove the cells. The supernatant above the cells is removed with a micropipette until the cell concentration reaches 5.times.10.sup.7 cells/cc. The harvested cells are grown in Hamm's F-12 culture media, 10% fetal calf serum, L-glutamine (292.mu.g/cc), penicillin (100u/cc), streptomycin (100.mu.g/cc), and ascorbic acid (5.mu.g/cc) at 37.degrees C. The above method is described

in detail in 6,060,053. The cells of the annulus fibrosis are harvested and cultured using similar techniques.

Precursor cells of nucleus pulposus cells or annulus fibrosis cells, chondrocytes, or other living cells that could function like nucleus pulposus cells or annulus fibrosis cells or  
5 that could differentiate into cells to build a functional nucleus pulposus or annulus fibrosis could also be used. The cultured cells are added to the donor disc through multiple small holes drilled through the annulus fibrosis into the nucleus pulposus.

Additional therapeutic substances could be added to the transplanted nucleus. For example, resorbable culture medium, tissue growth or differentiation factors (recombinant  
10 generated morphogenetic proteins, PDGF, TGF- $\beta$ , EGF/TGF- $\alpha$ , IGF-I,  $\beta$ FGF), hydrogels, resorbable or nonresorbable synthetic or natural polymers (collagen, fibrin, polyglycolic acid, polylactic acid, polytetrafluoroethylene, etc.), antibiotics, anti-inflammatory medication, immunosuppressive medications, etc. may be beneficial.

What is claimed is:

1. A method of treating a diseased or traumatized intervertebral disc located between adjacent vertebrae, comprising the steps of:

5 harvesting a disc unit from a recently deceased human or animal donor, the donor disc unit including:

an intervertebral disc having an extracellular matrix, and

a portion of the vertebrae on either side of the disc, including the endplates;

surgically removing an affected disc from a patient, including the vertebral endplates and a portion of the vertebra on either side of the disc, thereby creating a void to be filled;

10 and

placing the donor disc unit into the surgically created void.

2. The method of claim 1, further including the step of processing the donor disc unit to kills living cells therewithin while preserve the extracellular matrix thereof.

3. The method of claim 1, further including the steps of:

15 harvesting cells from the nucleus pulposus, annulus fibrosis, or both the nucleus pulposus and annulus fibrosis of a healthy intervertebral disc;

culturing the cells; and

transplanting the cells into the donor disc unit.

4. The method of claim 3, including the step of keeping the harvested cells viable  
20 until placed into the disc unit.

5. The method of claim 1, further including the step of temporarily immobilizing the spine following placement of the donor disc unit into the surgically created void.

6. The method of claim 1, further including the step of adding one or more therapeutic substances to the donor disc unit.



7. The method of claim 6, wherein the therapeutic substances include one or more of the following:

culture media, growth factors, differentiation factors, hydrogels, polymers, antibiotics, anti-inflammatory medications, or immunosuppressive medications.

5 8. A method of treating a diseased or traumatized intervertebral disc located between adjacent vertebrae, comprising the steps of:

harvesting:

a) cells that differentiate into nucleus pulposus like cells, or live cells that function like cells of the nucleus pulposus,

10 b) cells that differentiate into annulus fibrosis like cells, or live cells that function like cells of the annulus fibrosis, or

a) and b);

harvesting a disc unit from a recently deceased human or animal donor, the donor disc unit including:

15 an intervertebral disc having an extracellular matrix, and

a portion of the vertebrae on either side of the disc, including the endplates;

combining the harvested cells with disc unit; and

transplanting the disc unit into the disc being treated.

9. The method of claim 8, further including the step of adding one or more  
20 therapeutic substances to the engineered nucleus pulposus.

10. The method of claim 9, wherein the therapeutic substances include one or more of the following:

culture media, growth factors, differentiation factors, hydrogels, polymers, antibiotics, anti-inflammatory medications, or immunosuppressive medications.

11. The method of claim 8, further including the step of keeping the harvested cells viable until placed into the disc unit.

12. A method of preparing a donor intervertebral disc unit, comprising the steps of:

5 harvesting a disc unit from a recently deceased human or animal donor, the donor disc unit including:

an intervertebral disc having an extracellular matrix, and

a portion of the vertebrae on either side of the disc, including the endplates;

and

10 keeping the harvested disc unit viable until transplantation.

13. A donor disc unit prepared according to the method of claim 12.

14. The donor disc unit of claim 13, wherein living cells are killed to preserve the extracellular matrix.

15. The method of claim 12, further including the steps of:

15 harvesting cells from the nucleus pulposus, annulus fibrosis, or both the nucleus pulposus and annulus fibrosis of a healthy intervertebral disc;

culturing the cells; and

transplanting the cells into the donor disc unit.

16. A donor disc unit prepared according to the method of claim 15.

20 17. The donor disc unit of claim 16, further including one or more therapeutic substances.

18. The donor disc unit of claim 17, wherein the therapeutic substances include one or more of the following:

25 culture media, growth factors, differentiation factors, hydrogels, polymers, antibiotics, anti-inflammatory medications, or immunosuppressive medications.

19. A method of preparing a donor intervertebral disc unit, comprising the steps of:

harvesting:

5 a) cells that differentiate into nucleus pulposus like cells, or live cells that function like cells of the nucleus pulposus,

b) cells that differentiate into annulus fibrosis like cells, or live cells that function like cells of the annulus fibrosis, or

a) and b);

10 harvesting a disc unit from a recently deceased human or animal donor, the donor disc unit including:

an intervertebral disc having an extracellular matrix, and

a portion of the vertebrae on either side of the disc, including the endplates;

combining the harvested cells with disc unit; and

keeping the disc unit viable until transplantation.

15 20. A donor disc unit prepared according to the method of claim 19.

21. The donor disc unit of claim 20, wherein the engineered nucleus pulposus includes one or more therapeutic substances.

22. The donor disc unit of claim 21, wherein the therapeutic substances include one or more of the following:

20 culture media, growth factors, differentiation factors, hydrogels, polymers, antibiotics, anti-inflammatory medications, or immunosuppressive medications.

A. CLASSIFICATION OF SUBJECT MATTER  
IPC 7 A61L27/38 A61L27/36

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A61L

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, BIOSIS, WPI Data, PAJ

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 6 340 369 B1 (FERREE BRET A) 22 January 2002 (2002-01-22) the whole document	1-22
X	WO 02 00142 A (KANDEL RITA ;MOUNT SINAI HOSPITAL (CA)) 3 January 2002 (2002-01-03) the whole document	1-22

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

\* Special categories of cited documents:

\*A\* document defining the general state of the art which is not considered to be of particular relevance

\*E\* earlier document but published on or after the international filing date

\*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

\*O\* document referring to an oral disclosure, use, exhibition or other means

\*P\* document published prior to the international filing date but later than the priority date claimed

\*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

\*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

\*Y\* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

\*G\* document member of the same patent family

Date of the actual completion of the international search

3 October 2002

Date of mailing of the international search report

12/11/2002

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

ESPINOSA, M

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	<p>DATABASE BIOSIS 'Online!  BIOSCIENCES INFORMATION SERVICE,  PHILADELPHIA, PA, US;  FRICK, STEVEN L. (1) ET AL: "Lumbar  intervertebral disc transfer: A canine  study."  retrieved from STN  Database accession no. 1994:445252  XP002215569  abstract  &amp; SPINE, (1994) VOL. 19, NO. 16, PP.  1826-1835.,</p>	1
X	<p>DATABASE BIOSIS 'Online!  BIOSCIENCES INFORMATION SERVICE,  PHILADELPHIA, PA, US;  KATSUURA, AKITOMO (1) ET AL: "Experimental  study of intervertebral disc allografting  in the dog."  retrieved from STN  Database accession no. 1995:16727  XP002215570  abstract  &amp; SPINE, (1994) VOL. 19, NO. 21, PP.  2426-2432.,</p>	1
A	<p>WO 01 76654 A (SULZER BIOLOG INC)  18 October 2001 (2001-10-18)  claims; examples</p>	1-22
A	<p>US 6 080 579 A (GRUBER HELEN ELIZABETH ET  AL) 27 June 2000 (2000-06-27)  claims; examples</p>	1-22
A	<p>MIZUNO H ET AL: "Tissue engineering of a  composite intervertebral disc"  TISSUE ENGINEERING, LARCHMONT, NY, US,  vol. 6, no. 6, December 2000 (2000-12),  page 666 XP002195743  ISSN: 1076-3279  the whole document</p>	1-22
A	<p>OKUMA M ET AL: "REINSERTION OF STIMULATED  NUCLEUS PULPOSUS CELLS RETARDS  INTERVERTEBRAL DISC DEGENERATION: AN IN  VITRO AND IN VIVO EXPERIMENTAL STUDY"  JOURNAL OF ORTHOPAEDIC RESEARCH, THE  JOURNAL OF BONE AND JOINT SURGERY, INC.,  US,  vol. 18, no. 18, 2000, pages 988-997,  XP001064826  ISSN: 0736-0266  abstract</p>	1-22

**Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)**

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☒ Claims Nos.:  
because they relate to subject matter not required to be searched by this Authority, namely:  
  
Although claims 1-12, 15 are directed to a method of treatment of the human/animal body, the search has been carried out and based on the alleged effects of the compound/composition.
2. ☐ Claims Nos.:  
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
3. ☐ Claims Nos.:  
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

**Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)**

This International Searching Authority found multiple inventions in this international application, as follows:

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

**Remark on Protest**

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 6340369	B1	22-01-2002	US 2002128630 A1	12-09-2002
			US 2002128718 A1	12-09-2002
			US 6454804 B1	24-09-2002
			US 6371990 B1	16-04-2002
			US 2002133231 A1	19-09-2002
			US 2002128713 A1	12-09-2002
			US 6344058 B1	05-02-2002
			US 6352557 B1	05-03-2002
			US 6419702 B1	16-07-2002
WO 0200142	A	03-01-2002	AU 7040801 A	08-01-2002
			WO 0200142 A2	03-01-2002
WO 0176654	A	18-10-2001	WO 0176654 A1	18-10-2001
US 6080579	A	27-06-2000	AU 1604599 A	15-06-1999
			CA 2311763 A1	03-06-1999
			JP 2001524307 T	04-12-2001
			WO 9927077 A1	03-06-1999

**THIS PAGE BLANK (USPTO)**